Data sheet

HP Color LaserJet Managed MFP E57540 series



Help conserve energy and boost productivity with MFP that delivers multi-level device security.

Ideal for enterprises and medium businesses that need a secure, highly productive, energy-efficient color MFP.



HP Color LaserJet Managed MFP E57540dn

High-speed performance meets energy efficiency

- Print the first page from sleep mode as fast as 8.6 seconds²
- Speed through jobs. Print two sides almost as quickly as one—up to 40 ipm⁹—and scan both sides of the page at once.
- This MFP uses exceptionally low amounts of energy—thanks to its innovative design and toner technology.3
- Choose a maximum capacity of up to 2300 sheets.⁹ Print up to 59 pages per minute on A5.⁹

Unparalleled fleet security and management

- Embedded features detect security threats and heal your MFP, protecting it from boot up to shutdown.¹⁰
- Protect sensitive data on the MFP and in transit, using embedded security features and 256-bit encryption. 10
- Protect sensitive business data with embedded and optional HP JetAdvantage Security Solutions.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.¹²

More. Pages, Performance, and Protection.

- Make an impression with leading color quality from HP. Get unparalleled printing for your office needs.
- Get more pages with each Original HP Toner cartridge with JetIntelligence and high-yield cartridges.113
- Help ensure the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Print right away with preinstalled toner cartridges. Replace them with cartridges featuring auto seal removal.

Stay connected with secure mobile printing options

- Enable 128-bit encrypted wireless direct printing from mobile devices—without accessing the network.⁵
- Print with just a touch of your NFC-enabled mobile device to this printer—no network needed.6
- Easily print from a variety of smartphones and tablets—generally no setup or apps required.7
- Easily access, print, and share resources with Ethernet and optional wireless networking.4

Nore pages versus predecessor cartridges claim based on page-yield comparison of HP 508X High Yield Original LaserJet Toner Cartridges with HP Black Managed LJ Toner Cartridges. For more information, see http://www.hp.com/go/learnaboutsupplies ² Based on HP internal testing of top three leading competitors ² first page out from sleep mode and duplex print and copy speed completed 48/2015. Subject to device settings, Actual results may vary. For details, see http://www.hp.com/go/lcidiams ³ Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see http://www.hp.com/go/Ljclaims ⁴ Wireless networking requires purchase of the HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections. ⁵ Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see thety/www.hp.com/go/businessmobileprinting ⁶ Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near-field communication (NFC)—enabled printing. For more information, see http://www.hp.com/go/businessmobileprinting ⁷ Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Jean more at http://www.hp.com/go/printipprinting ⁸ Universal printing for the printing for th

HP Color LaserJet Managed MFP E57540dn

Product walkaround

- 1. 100-sheet ADF with single-pass, two-sided scanning
- 2. Hardware Integration Pocket²
- 3. Easy-access USB port3
- 4. 250-sheet output tray
- 5. Front door (access to HP JetIntelligence Toner cartridges)
- 6. Fax port, 4 Ethernet port, Host USB port, Hi-Speed USB 2.0 printing port
- 7. Automatic two-sided printing
- 8. 550-sheet tray 2
- 9. 8.0-inch (20.3 cm) color touchscreen
- 10. Optional wireless direct printing⁵/optional NFC⁶
- 11. Right door (access to the print path)
- 12. 100-sheet multipurpose tray 1
- 13. HP High-Performance Secure Hard Disk



Series at a glance



Model	HP Color LaserJet Managed MFP E57540dn
Product number	3GY25A
Print speeds (letter/A4) ^a	Up to 40 ppm (black and color)
Control panel	8.0-inch (20.3 cm) color touchscreen
Fax capability⁴	Optional
100-sheet ADF with single-pass, two-sided scanning	$\sqrt{}$
100-sheet multipurpose tray 1, 550-sheet tray 2	2 √
HIP,² easy-access USB³	\checkmark
HP Secure high performance hard disk drive	\checkmark
Convenience stapler	Not available
Scan to Microsoft® SharePoint®	Not available
HP EveryPage with ultrasonic detection ¹	Not available
Advanced workflow features including a pull-out keyboard ¹	Not available
Embedded OCR	Not available

¹ The pull-out keyboard, HP EveryPage, and embedded OCR are only available on the MFP E57540c model. ² Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. ³ An administrator must enable the easy-access USB port before use. ⁴ Fax capabilities are optional for both models with purchase of the HP LaserJet MFP Analog Fax Accessory. ⁵ Wireless direct printing requires purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see hp.com/go/businessmobileprinting. ⁶ Touch-to-print capability requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support near-field communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting. ⁷ The convenience stapler is only available on the MFP E57540c model. ⁸ ISO speeds measured using ISO/IEC 24734. Excludes first page or first set of ISO test pages. For details see hp.com/go/printerclaims. ⁹ Use of the optional HP Trusted Platform Module accessory may require a firmware upgrade.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

Next Business Day with Defective Media Retention:

Customers can retain their hard disk drive and keep control of sensitive data.

Installation Service with Network Setup:

Installation services that include onsite installation and network setup of printing product.

For carepack availability visit: hp.com/go/cpc













Top features

This efficient MFP is designed to conserve energy without sacrificing productivity—so users can speed through tasks and move business forward. It also uses exceptionally low amounts of energy—thanks to its innovative design and toner technology.

Trust your MFP is secure from power-up to power-down. Get strong protection for devices, data, and documents with embedded and optional security features while centrally managing your entire fleet.10

Bring out the best in your MFP. Print more high-quality pages than ever before, using specially designed Original HP Toner cartridges with JetIntelligence. Count on the authentic HP quality you paid for—something the competition can't match.

Enable secure wireless printing in the office—with or without network access—and keep users connected with Ethernet and optional wireless networking.4 Print with just a touch from mobile devices.6

Accessories

B5L34A - HP Color LaserJet 550-sheet Media Tray B5L51A - HP Color LaserJet Printer Cabinet - HP LaserJet MFP Analog Fax Accessory B5L53A B5L28A - HP Internal USB Ports - HP 1GB DDR3 x32 144-Pin 800MHz SODIMM F5K48A F5S62A - HP Trusted Platform Module Accessory B5L31A - HP Foreign Interface Harness

- HP Jetdirect 3000w NFC/Wireless Accessory 18030A - HP Jetdirect 2900nw Print Server J8031A

2TD64A - HP Accessibility Kit B5L29A - HP High-Performance Secure Hard Disk CZ208A - HP Access Control USB Proximity Reader A7W14A - HP LaserJet Swedish Overlay Keyboard 2NR12A - HP Removable Hard Drive Enclosure - HP Universal USB Proximity Card Reader X3D03A - HP HIP2 Keystroke Reader Y7C05A

Supplies

B5L35A - HP Color LaserJet 110V Fuser Kit B5L36A - HP Color Laser let 220V Fuser Kit - HP Color LaserJet Toner Collection Unit B5I 37A - HP 200 ADF Roller Replacement Kit B5L52A Q7432A - HP Staple Cartridge Pack

W9060MC - HP Black Managed LaserJet Toner Cartridge (~16,000 pages) W9061MC - HP Cyan Managed LaserJet Toner Cartridge (~12,500 pages) W9062MC - HP Yellow Managed LaserJet Toner Cartridges (~12,500 pages) W9063MC - HP Magenta Managed LaserJet Toner Cartridge (~12,500 pages)

Services

U8TW4E - HP 3 yr Next business day w/Defective Media Retention Service for Color LaserJet M577 E57540 Managed

U8TW5E - HP 4 yr Next business day w/Defective Media Retention Service for Color LaserJet M577

E57540 Managed U8TW6E - HP 5 yr Next business day w/Defective Media Retention Service for Color LaserJet M577

E57540 Managed

U9JT2E - HP Inst SVC w/nw Workgroup Printer

¹ More pages versus predecessor cartridges claim based on page-yield comparison of HP 508X High Yield Original Laser Jet Toner Cartridges with HP Black Managed LJ Toner Cartridges. For more information, see http://www.hp.com/go/learnaboutsupplies ² Based on HP internal testing of top three leading competitors' first page out from sleep mode and duplex print and copy speed completed 8/2015. Subject to device settings. Actual results may vary. For details, see http://www.hp.com/go/Liclaims 3 Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see http://www.hp.com/go/ljclaims 4 Wireless networking requires purchase of the HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections. ⁵ Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct—capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see http://www.hp.com/go/businessmobileprinting ⁶ Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near-field communication (NFC)—enabled printing. For more information, see http://www.hp.com/go/businessmobileprinting ⁷ Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at http://www.hp.com/go/mobileprinting ⁸ Purchase of optional paper trays required to reach maximum input capacity. ⁹ Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ¹⁰ Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at http://www.hp.com/go/printsecurity 11 Some solutions require download or additional purchase. Learn more at http://www.hp.com/go/printingsolutions 12 Universal device plug-in is offered with HP Web Jetadmin 10.3 SR4 and higher HP Web Jetadmin is free and available for download at http://www.hp.com/go/webjetadmin 13 HP Black Managed LJ Toner Cartridges not include; please purchase separately. 14 An FCC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment due to the increased risk of interference to radio communications.

HP Color LaserJet Managed MFP E57540 series

	erjet manageu MFP E5/540 Series
Technical Specifications AIO functions	HP Color Laser/let Managed MPF ES7540dn(3GY25A)
Print speed	Print, copy, scan, optional fax
Print resolution	A4: Up to 38 ppm; Letter: Up to 40 ppm black; Up
	Black (best): Up to 1200 x 1200 dpi; (Johur (best): Up to 1200 x 1200 dpi
Print Technology Print Cartridges Number	Laser; Print Resolution Technologies: HP ImageREt 3600, Pantone Calibrated
Standard Print Languages	4 (1 each black, cyan, magenta, yellow) HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7)
Printer Smart Software Features	Print preview, duplex printing, print multiple pages per sheet (2, 9, 16), collation, nature-pre-printing vir.77 Print preview, duplex printing, print multiple pages per sheet (2, 9, 16), collation, watermarks, to see printing by, easy-access USB, HP Easy Color
Printer Management	H Jetávalnadage Security Mangar JH SNMP Proxy Agent; I HP Web Jetávalnia Software; IH WS Pro Proxy Agent; JF Agric Administrator Resource Kit for HP Universal Print Driver
Scan Type / Technology	nn Jeurovannage secunity manager, nn: Siviner Prioxy rigent, nn: wecondomin Sontware, nn: Was the Prioxy Agent, permit control of the Commission of the University of the Priory of the
Scan Resolution	ype: reader, not., recurrous; contact mage areas (clas) Hardware: Up to 600 x 600 dp; Optical: Up to 600 dpi
Scan File Format	PER JEEG, TIER, MITIER, DE JOURNAL OF TO GOO OFF
Scan Input Modes	Front panel applications: Copy, E-mail, Save to Network Folder, Save to USB, Save to Device Memory, Open Extensibility Platform (0XP) applications
Scan Size	ADP; 216 x 356 mm; 8.5 x 14 in Maximum; 105 x 127 mm; 4.1 x 5 in Minimum; Flatbed; 216 x 356 mm; 0.5 x 10 in Maximum; 105 x 127 mm; 4.1 x 5 in Minimum; 105 x 127 mm; 4.1 x 5 in
Scan Speed	Up to 43 ppm/43 ipm (b&w), up to 38 ppm/38 ipm (color) ²³ ; Duplex : Up to 43 ipm (b&w), up to 38 ipm (color)
Scanner Advanced Features	Op to 45 ppin
Bit depth / Grayscale levels	Optimize text/picture, image adjustments, 300 obitio, output quainy setting, selectable scarn resolution? To rook up, not detect color, edge erase, 300 notification, bank page suppression, ne quick sets 24-bit/256
Digital Sending Standard	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF
Features	Staff to E-filati, Save-to-network Foliuer, Save-to-osb drive, Send to FFF, Send to little fiet Fax, Local Address Book, Smith Over 35c, Blank Page Refitival, Edge Erase, Add Color Sense, Add C
Copy Speed	Black (A4) : Up to 38 cpm; Color (A4) : Up to 38 cpm ²¹
Copy Resolution	Black (text and Graphics): Up to 600 x 600 dpi (flatbed); Up to 600 x 450 dpi (ADF); Color (text and Graphics): Up to 600 x 600 dpi (flatbed); Up to 600 x 450 dpi (ADF)
Maximum Number of Copies	Date. (Lex.) and displices, by to door a door displication, by the door a door displication and by the door and by the door a door displication and by the door a door displication and by the door a door displication and by the door and by the door a door displication and by the door and by the door a door displication and by the door and by
Copier Resize	Extra 400%
Copier Settings	Two-sided copying; Scalability; Image adjustments (darkness, contrast, background cleanup, sharpness); N-up; N or Z-ordering; Content orientation; Collation; Booklet; Job build; Edge-to-edge; Job storage; ID Copy; Book Copy; A-to-E
. •	Copy (different media sizes)
Standard Connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit/Fast Ethernet 10/100/1000Base-TX network; Hardware Integration Pocket
Network Capabilities	Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard)
Wireless Capability	Optional, enabled with purchase of hardware accessory.
Mobile Printing Capability	HP ePrint; Apple AirPrint [™] ; Mopria-certified; Google Cloud Print 2.0 ¹⁴
Memory	Standard: 1.25 GB (printer), 500 MB (scanner); Maximum: 2.0 GB (printer), 500 MB (scanner)
Processor Speed	1.2 GHz / Hard disk: Standard, embedded HP High-Performance Secure Hard Disk, minimum 320 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data,
	Secure ATA Erase-Disk); U.S. Government: Standard, FIPS 140-2 validated hard disk, minimum 500 GB
Duty Cycle Paper Handling	Monthly, A4: Up to 120,000 pages ⁹ , Recommended Monthly Page Volume: 2000 to 15,000 ¹⁰ Input Capacities: 100-sheet multipurpose tray, 550-sheet input tray 2; Up to 650 sheets standard; Up to 10 envelopes labels legal; Output Capacities: 250-sheet output bin; Up to 250 sheets standard labels legal; Duplex Options:
	glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined, Media Weight Supported : Tray 1: 60 to 220 g/m² (plas paper), 105 to 220 g/m² (plas paper),
Product Dimensions	W x D x H : 18.98 x 19.84 x 22.95 in; 482 x 504 x 583 mm ² ; Maximum : 27.5 x 19.84 x 22.95 in; 699 x 504 x 583 mm
Product Weight	38.1 kg84 lb
What's in the box	Printer; Four preinstalled HP LaserJet toner cartridges (Black: ~6000 pages, Color: ~5000 pages); Toner collection unit; In-box documentation; CD; Power Cord; fax cable 1
Warranty Features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in you region.
Energy Efficiency Compliance	ENERGY STAR® qualified; EPEAT® Silver
Control Panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)
Display Description	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)
Software Included	HP Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals
Fonts and Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPOS Emulation available at http://www.hp.com/go/laserjetfonts
Compatible Operating Systems	Android, Linux Boss (S.D), Linux Debisin (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 ECapitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions (Windows 7
Compatible Network Operating Systems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2 SP1. Citrix con Windows Server 2003/2003R2, Citrix on Windows Server 2008 R2 SP1 (Citrix MenApp 6.0/6.5/7.5) (for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit, Citrix SenApp 6.0/6.5/7.5) (for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit), Citrix SenApp 6.0/6.5/7.5 (for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit), Citrix SenApp 6.0/6.5/7.5 (for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit), Citrix SenApp 6.0/6.5 (for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit), Citrix SenApp 6.0/6.5 (for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit), Citrix SenApp 6.0/6.5 (for Windows Server 2012 and 2012 R2 Terminal Services), Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit), Citrix SenApp 6.0/6.5 (for Windows Server 2012 and 2012 R2 Terminal Services), Windows Server 2012 and 2012 R2 Terminal Services, Windows Server 2012 and 2012 R2 Terminal Services, Windows Server 2012 (SP2 Server 11/SP1, Novell Open Enterprise Server 2 (For Linux, Novell Servers sown novell-Com/print, Novell-Print Appliance v1.0, Novell Open Enterprise Server 2 (For Linux, Novell Servers sown novell-Com/print), Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (
Minimum System Requirements	PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com; MAC: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info
Power	Power Supply Type: Internal (Built-in) power supply; Power Requirements: Input voltage: 100 to 127 VAC, 60 Hz, Input voltage: 200 to 240 VAC, 50 Hz (Not dual voltage, product varies by part number with # Option code identifier); Pow Consumption: 592 watts (Printing), 47.3 watts (Ready), 3.48 watts (Sleep), 0.08 watts (Auto-Off/Manual On), 0.49 watts (Auto-Off/M
Acoustics	Acoustic Power Emissions: 6.5 B(A) (printing at 38 ppm); Acoustic Pressure Emissions: 51 dB(A) (printing at 38 ppm) ¹⁶
Operating Environment	Operating Temperature Range: 15 to 30°C; Recommended Operating Temperature 17 to 25°C; Storage Temperature Range: 0 to 35°C; Non-Operating Humidity Range: 10 to 90% RH; Operating Humidity Range: 10 to 80% RH; Recommended Humidity Operating Range: 30 to 70% RH
Security Management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; an Kerberos authentication; Supports WIA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); ShMPV2; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Ree Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability. Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs

¹ Toner cartridge yields established using ISO/IEC test standards. Actual yields and costs vary considerably depending on images printed, number of color pages printed, and other factors. ² Without Tray 1 or Legal extension extended ³ With printer cartridges ⁴ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. ⁵ Typical Electricity Consumption (TEC) rating represents the typical electricity consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh). ⁶ Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/IsoreSupply electricity on the product access required. To learn more, wisi http://www.hp.com/go/IsoreSupply electricity on the product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. ¹⁰ HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. ¹¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software available only for Windows 7 and newer; Legacy Windows Operating Systems (XP, Vista, and equivalent servers) get print and Scan drivers only; Windows RT OS for Tablets (32- & 64-bit) uses a simplified HP print driver built into the RT OS; UNIX modelscripts are available only for Windows Operating Systems' for UNIX poreating systems'; Linux systems use in -OS HPLIP software. ¹⁴ Not all "Compatible O

Learn more at hp.com

© Copyright 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windowsis a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

